Automatic Touchless Car Washing Machine KL360-1 15kw

Basic Information

Place of Origin: Shanghai, China

Brand Name: Kolon
Certification: CE
Model Number: KL360-1
Minimum Order Quantity: 1 unit

• Price: USD14000-USD18000

Packaging Details: plywood caseDelivery Time: 20 days

Payment Terms: D/P, D/A, L/C, T/T, Western Union,

MoneyGram

Supply Ability: 1000unit per year



Product Specification

Product Name: Labor-saving Automatic Touchless /

Contactless / Touch-free Car Washing

Machine KL-360-1

• Dimensions (length * Width 6.2*3.6*3M

* Height):

• Foundation (length * Width *7*3.7.*3.1M

Height):

Cleaning Speed: 2-3min/carAir Pressure: 8 BAR

• Wire Requirements: 3 Phase 5 Cores, 16 Sqm Copper Wire

Power Requirement: 380v/20Kw
Water Comsumption: 150L/car
Total Weight Of Equipment: 1600Kg
Washing Time: 3-8mins/car

• Type: Touchless Automatic Car Washing

Machine, Pre-Soak, High-Pressure

Rinse, Detergent Application, High-Pressure



More Images








Open the PDF of Dimension <u>KOLON KL360-1 dimension drawing.pdf</u> <u>Labor-saving automatic touchless car washing machine</u>

Dimension drawing



Touchless Car Washing Machine Description:

A ttouchless / contactless / touch-free car washing machine is a type of automated car wash system that cleans vehicles without the use of brushes or physical contact with the car's surface. It relies on high-pressure water jets, detergents, and specialized cleaning techniques to remove dirt, grime, and other contaminants from the car's exterior.

Touchless Car Washing Machine Features:

High-pressure water jets: Powerful jets of water are used to dislodge and remove dirt and debris from the car's surface. Detergent application: Specialized detergents are applied to help break down and remove tough stains and grime. Multiple wash programs: Touchless car wash machines often offer various wash programs and settings to cater to different levels of cleaning required.

Water recycling system (optional): Some machines incorporate water recycling systems to conserve water and reduce environmental impact.

Specification:

opecinication.	
Warranty	3 years, man-made damage excluded
Machine Size	6.2*3.6*3M(L*W*H)
Foundation Size:	7*3.7.*3.1M(L*W*H)
Site Requirements	Ground hardening
Proportioning machine size	800*500*500mm (L*W*H)
Wire requirements	3 phase 5 cores, 16 sqm copper wire
Air pressure	8 BAR
Max washing height	2000(mm)
Max washing width	2200mm
Max washing length	5500mm
Power needed	380V/20KW
Running power	Air-dry power 12KW (4PCS*3KW) Siemens motor Water pump (Pinfl 45+15Kw)
Water Consumption	150L/car
Washing Time	3-8mins/car
Power Consumption	0.5-1kwh/car
Machine weight	1600Kg
Total Power	30Kw
Washing liquid Consumption	50ml/car
Water wax consumption	500-1000ml ,Controllable
Applicable vehicle type	car,van,commercial vehicle
Water pressure requirements	1.4-3kgs tap-water pressure; 6-minute diameter water pipe flow >40L/min
Rail	2pcs (6m)
Framework	1 set
Washing pressure	60-80KGS

Standard car wash mode	<u> </u>				
Washing Quantity count	•				
Fine car Wash Mode	<u> </u>				
Operation permission setting	•				
Fully automatic car wash mode	•				
Fault self-test function	•				
LED indicating system	•				
Mirror cleaning	<u> </u>				
Automatic liquid proportioning system	•				
One click antifreeze system	0				
Chassis tire washing function	•				
Oil free function	•				
Intelligent three-dimensional detection system	0				
Multi liquid reuse function	•				
Self-guided parking system	•				
Safety alarm function	•				
Digital safety anti-collision system	•				
Automatic standby function	•				
360 degrees rotary washing	•				
Hot dip galvanized frame	•				
Washing Detergent	•				
Operation console	•				
Highlight and dazzle color system (dazzle color	0				
type)	Ĭ				
Leakage protector	•				
Water wax coated function	•				
Warning system	0				
Magic Color Shampoo	•				
Voice warning system	0				
Built-in automatic air drying	•				
Soft water spray	0				
Controller	•				
	Chassis washing				
	Wheel washing				
Function Equipped	Touchless high-pressure washing				
	High precision low foam water wax 2-in-1 ratio function				
	Powerful air drying				
Duaduata Dagawintiana					

Products Description:

High Pressure water spray removes the dirt and muds on the chassis and wheels of the vehicle.

***Chassis and wheel washing

***360°high pressure washing

***Washing liquid spraying

***Was spraying











Details:

Air-dry power 12KW (4PCS*3KW) Siemens motor

Built-in fast air drying system, strong wind drive away the body moisture, realize the true sense of automatic cleaning. KL360-1 water pump 15kw









Car Wash Process										
	Step 1	Step 2	Step 3	Step 4	Step 5	Step 6	Step 7	Step 8	Step 9	Time
Mode 1	Wipe-free foam	High pressure water	Wax	Air dry	\	\	\	\	\	2.5-3.5mn
Mode 2	Wipe-free foam	High pressure water	Normal foam	High pressure water	Wax	Air dry	\	\	\	3.5~4.5min
Mode 3	Wipe-free foam	High pressure water	Normal foam	High pressure Water	Water fall-foam	High pressure water	Wax	Airdry	\	6-7min
Mode 4	High pressure water	Wipe-free foam	High pressure water	Normal foam	High pressure water	Water fall-foam	High pressure water	Wax	Air dry	8-10min
Model 5										
Model 6										
You can include any activities in any mode as per your willing										

Touchless Car Washing Machine Benefits:

Gentle on car paint and finish: Since there are no brushes or physical contact, touchless car washing machines minimize the risk of scratches or damage to the car's paint and finish.

Efficient and time-saving: Touchless car washes are typically faster compared to traditional methods, reducing the time required to clean a vehicle.

Consistent and thorough cleaning: The high-pressure water jets can reach and clean areas that are difficult to access

manually, ensuring a more thorough cleaning.

Product packaging

3 years warranty low price auto cleaning equipment car washing machine with Chassis wash function for africa market Packaging Show:







FAQ

Q: Are your car wash machine trader or manufacturer?

A: Yes, we are the car wash machines manufacturer in china. Our brand is Kolonwash. So we have the competitive price, and could provide the spare parts at any time.

Q: What types car wash machines can you produce?

A: We can produce the rollover car wash machine, tunnel car wash machine, touchless car wash machine. Besides, could be customized according to your request.

Q: Can the color and appearance be customized?

A: Yes, of course, they could be customized, just tell me what color you need, and the drawing of the appearance, we could do according to your request.

Q: Can I put my brand name on machine instead of your brand name?

A: Yes, we could stick your brand name on the machines according to your request.

Q: What is the delivery time?

A: Our lead time is 10-15 days once get the advanced payment, according to which type you need.

Q: What about the foundation? How long will it take?

A: We could provide the drawing of the foundation, it needs around 5 days.

Q: How to install the machine? And how to do daily maintenance?

A: We could provide the installation drawing and guided installation video. We could provide the maintenance manual to you.

Q: How about the warranty time and sales-after service?

A: Our machine warranty time: 3 years (50000 times), in warranty time, if the machine have any question, we could provide the parts free of charge.

Q: How to contact you?

A:WhatsApp/Mb.:+86-18964350873 Email:zoe@koloncarwashing.com:+86-17765180874(WhatsApp,Wechat) cici@koloncarwashing.com

で KOLON・副走 Shanghai Kuolong Cleaning Machinery Co. Ltd.



