Labor Saving Automatic Touchless Car Washing Machine KL360-1 15kw Water Pump 12kw Air Dryer

Basic Information

• Place of Origin: Shanghai, China

Brand Name: Kolon
Certification: CE
Model Number: KL360-1
Minimum Order Quantity: 1 unit

• Price: USD14000-USD18000

Packaging Details: plywood caseDelivery Time: 20 days

Payment Terms: D/P, D/A, L/C, T/T, Western Union,

MoneyGram

Supply Ability: 1000unit per year



Product Specification

Product Name: Labor-saving Automatic Touchless /

Contactless / Touch-free Car Washing

Machine KL-360-1

• Dimensions (length * Width 6.2*3.6*3M

* Height):

• Foundation (length * Width *7*3.7.*3.1M

Height):

Cleaning Speed: 2-3min/carAir Pressure: 8 BAR

• Wire Requirements: 3 Phase 5 Cores, 16 Sqm Copper Wire

Power Requirement: 380v/20Kw
Water Comsumption: 150L/car
Total Weight Of Equipment: 1600Kg
Washing Time: 3-8mins/car

• Type: Touchless Automatic Car Washing

Machine, Pre-Soak, High-Pressure

Rinse, Detergent Application, High-Pressure



More Images








Open the PDF of Dimension <u>KOLON KL360-1 dimension drawing.pdf</u> <u>Labor-saving automatic touchless car washing machine</u>

Dimension drawing



Touchless Car Washing Machine Description:

A ttouchless / contactless / touch-free car washing machine is a type of automated car wash system that cleans vehicles without the use of brushes or physical contact with the car's surface. It relies on high-pressure water jets, detergents, and specialized cleaning techniques to remove dirt, grime, and other contaminants from the car's exterior.

Touchless Car Washing Machine Features:

High-pressure water jets: Powerful jets of water are used to dislodge and remove dirt and debris from the car's surface. Detergent application: Specialized detergents are applied to help break down and remove tough stains and grime. Multiple wash programs: Touchless car wash machines often offer various wash programs and settings to cater to different levels of cleaning required.

Water recycling system (optional): Some machines incorporate water recycling systems to conserve water and reduce environmental impact.

Specification:

| opecinication. | |
|-----------------------------|---|
| Warranty | 3 years, man-made damage excluded |
| Machine Size | 6.2*3.6*3M(L*W*H) |
| Foundation Size: | 7*3.7.*3.1M(L*W*H) |
| Site Requirements | Ground hardening |
| Proportioning machine size | 800*500*500mm (L*W*H) |
| Wire requirements | 3 phase 5 cores, 16 sqm copper wire |
| Air pressure | 8 BAR |
| Max washing height | 2000(mm) |
| Max washing width | 2200mm |
| Max washing length | 5500mm |
| Power needed | 380V/20KW |
| Running power | Air-dry power 12KW (4PCS*3KW) Siemens motor Water pump (Pinfl 45+15Kw) |
| Water Consumption | 150L/car |
| Washing Time | 3-8mins/car |
| Power Consumption | 0.5-1kwh/car |
| Machine weight | 1600Kg |
| Total Power | 30Kw |
| Washing liquid Consumption | 50ml/car |
| Water wax consumption | 500-1000ml ,Controllable |
| Applicable vehicle type | car,van,commercial vehicle |
| Water pressure requirements | 1.4-3kgs tap-water pressure; 6-minute diameter water pipe flow >40L/min |
| Rail | 2pcs (6m) |
| Framework | 1 set |
| Washing pressure | 60-80KGS |

| Standard car wash mode | <u> </u> | | | | |
|---|---|--|--|--|--|
| Washing Quantity count | • | | | | |
| | | | | | |
| Fine car Wash Mode | <u> </u> | | | | |
| Operation permission setting | • | | | | |
| Fully automatic car wash mode | • | | | | |
| Fault self-test function | • | | | | |
| LED indicating system | • | | | | |
| Mirror cleaning | <u> </u> | | | | |
| Automatic liquid proportioning system | • | | | | |
| One click antifreeze system | 0 | | | | |
| Chassis tire washing function | • | | | | |
| Oil free function | • | | | | |
| Intelligent three-dimensional detection system | 0 | | | | |
| Multi liquid reuse function | • | | | | |
| Self-guided parking system | • | | | | |
| Safety alarm function | • | | | | |
| Digital safety anti-collision system | • | | | | |
| Automatic standby function | • | | | | |
| 360 degrees rotary washing | • | | | | |
| Hot dip galvanized frame | • | | | | |
| Washing Detergent | • | | | | |
| Operation console | • | | | | |
| Highlight and dazzle color system (dazzle color | 0 | | | | |
| type) | ĭ | | | | |
| Leakage protector | • | | | | |
| Water wax coated function | • | | | | |
| Warning system | 0 | | | | |
| Magic Color Shampoo | • | | | | |
| Voice warning system | 0 | | | | |
| Built-in automatic air drying | • | | | | |
| Soft water spray | 0 | | | | |
| Controller | • | | | | |
| | Chassis washing | | | | |
| | Wheel washing | | | | |
| Function Equipped | Touchless high-pressure washing | | | | |
| | High precision low foam water wax 2-in-1 ratio function | | | | |
| | Powerful air drying | | | | |
| Duadicata Dagawintian | | | | | |

Products Description:

High Pressure water spray removes the dirt and muds on the chassis and wheels of the vehicle.

***Chassis and wheel washing

***360°high pressure washing

***Washing liquid spraying

***Was spraying









Details:


Air-dry power

12KW (4PCS*3KW) Siemens motor

Built-in fast air drying system, strong wind drive away the body moisture, realize the true sense of automatic cleaning. KL360-1 water pump 15kw









| 100 | 1 | | • | W | | | | | | |
|--|------------------------|---------------------|---------------------|------------------------|---------------------|---------------------|---------------------|---------|---------|------------|
| Car Wash Process | | | | | | | | | | |
| | Step 1 | Step 2 | Step 3 | Step 4 | Step 5 | Step 6 | Step 7 | Step 8 | Step 9 | Time |
| Mode 1 | Wipe-free foam | High pressure water | Wax | Air dry | \ | \ | \ | \ | \ | 2.5-3.5mn |
| Mode 2 | Wipe-free foam | High pressure water | Normal foam | High pressure water | Wax | Air dry | \ | \ | | 3.5~4.5min |
| Mode 3 | Wipe-free foam | High pressure water | Normal foam | High pressure Water | Water fall-foam | High pressure water | Wax | Air dry | \ | 6-7min |
| Mode 4 | High pressure water | Wipe-free foam | High pressure water | Normal foam | High pressure water | Water fall-foam | High pressure water | Wax | Air dry | 8-10min |
| Model 5 | | | | | | | | | | |
| Model 6 | | | | | | | | | | |
| You can include any activities in any mode as per your willing | | | | | | | | | | |

Touchless Car Washing Machine Benefits:

Gentle on car paint and finish: Since there are no brushes or physical contact, touchless car washing machines minimize the risk of scratches or damage to the car's paint and finish.

Efficient and time-saving: Touchless car washes are typically faster compared to traditional methods, reducing the time required to clean a vehicle.

Consistent and thorough cleaning: The high-pressure water jets can reach and clean areas that are difficult to access

manually, ensuring a more thorough cleaning.

Product packaging

3 years warranty low price auto cleaning equipment car washing machine with Chassis wash function for africa market Packaging Show:







FAQ

Q: Are your car wash machine trader or manufacturer?

A: Yes, we are the car wash machines manufacturer in china. Our brand is Kolonwash. So we have the competitive price, and could provide the spare parts at any time.

Q: What types car wash machines can you produce?

A: We can produce the rollover car wash machine, tunnel car wash machine, touchless car wash machine. Besides, could be customized according to your request.

Q: Can the color and appearance be customized?

A: Yes, of course, they could be customized, just tell me what color you need, and the drawing of the appearance, we could do according to your request.

Q: Can I put my brand name on machine instead of your brand name?

A: Yes, we could stick your brand name on the machines according to your request.

Q: What is the delivery time?

A: Our lead time is 10-15 days once get the advanced payment, according to which type you need.

Q: What about the foundation? How long will it take?

A: We could provide the drawing of the foundation, it needs around 5 days.

Q: How to install the machine? And how to do daily maintenance?

A: We could provide the installation drawing and guided installation video. We could provide the maintenance manual to you.

Q: How about the warranty time and sales-after service?

A: Our machine warranty time: 3 years (50000 times), in warranty time, if the machine have any question, we could provide the parts free of charge.

Q: How to contact you?

A:WhatsApp/Mb.:+86-18964350873 Email:zoe@koloncarwashing.com:+86-17765180874(WhatsApp,Wechat) cici@koloncarwashing.com

で KOLON・副走 Shanghai Kuolong Cleaning Machinery Co. Ltd.



